



Carlisle Brass Ltd
 Parkhouse Road
 Carlisle
 Cumbria
 CA3 0JU

Tel: 01228 211770

EC - DECLARATION OF CONFORMITY

Number CB201

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulations or CPR), we declare that the construction product

Range of Eurospec Mortice Sashlocks – see Annex A

Placed on the market

**Carlisle Brass Ltd
 Parkhouse Road, Carlisle, Cumbria, CA3 0JU**

Complies with all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

EN 12209:2003/AC 2005

with classification

ESB5025 and ESB5030

2	H	8	1	0	F	7	B	A	2	0
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

LSB5525 and LSB5530

2	H	8	1	0	F	7	K	D	2	B
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

on the basis that the approved body

Element Materials Technology Rotterdam B.V. – (EC Notified Body 2812)

has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control as shown in the Certificate of Conformity Ref. 2812-CPR-AG0129, dated 23rd December 2020.

Intended use: For use on fire / smoke compartmentation doors

Essential characteristic	Performance	Harmonised technical specification
Self-closing 5.4.2 Closing force 5.1.2 Re-latching force of latch bolt	Grade 8 = 200kg door mass with 15N Maximum closing force >2.5N	EN 12209:2003/AC2005
Durability of self-closing 5.3.1 Durability of latch action	Grade H = 200,000 cycles with 10N side load on latch bolt	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Paul Campbell



Technical Manager

8th January 2021

Annex A

Lock Reference	Description
LSB5525	Easi-T 5 Lever Sashlock 2.5"
LSB5530	Easi-T 5 Lever Sashlock 3"
ESB5025	Easi-T Euro Profile BS Cylinder Sashlock 2.5"
ESB5030	Easi-T Euro Profile BS Cylinder Sashlock 3"