



Carlisle Brass Ltd  
Parkhouse Road  
Carlisle  
Cumbria  
CA3 0JU

Tel: 01228 211770

## EC - DECLARATION OF CONFORMITY

**Number CB205**

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9<sup>th</sup> March 2011 (the Construction Products Regulations or CPR), we declare that the construction product

**Eurospec Rim Locks – see Annex A**

Placed on the market

**Carlisle Brass Ltd  
Parkhouse Road, Carlisle, Cumbria, CA3 0JU**

Complies with all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

**EN 12209:2003/AC 2005**

with classification

1	A	8	1	0	F	NPD	M	D	NPD	0
---	---	---	---	---	---	-----	---	---	-----	---

on the basis that the approved body

**Element Materials Technology Rotterdam B.V. – (EC Notified Body 2812)**

has performed the initial type-testing for the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control as shown in the Certificate of Conformity Ref. 2812-CPR-AG0153, dated 23<sup>rd</sup> December 2020.

**Intended use: For use on fire / smoke compartmentation doors**

Essential characteristic	Performance	Harmonised technical specification
Self-closing 5.4.2 Closing force  5.1.2 Re-latching force of latch bolt	Grade 8 = 200kg door mass with 15N maximum closing force  >2.5N	EN 12209:2003/AC2005
Durability of self-closing 5.3.1 Durability of latch action	Grade A = 50,000 cycles with no side load on latch bolt	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Paul Campbell



Technical Manager

12<sup>th</sup> January 2021

**Annex A**

Lock Reference	Description
RSE8064	Contract D/H Rim Lock 6"x4"
RSE8053	Contract D/H Rim Lock 5"x3"